



T.C.
TARIM ve ORMAN BAKANLIĞI
SGS İSTANBUL ÖZEL GIDA KONTROL LABORATUVARI
(TURKISH REPUBLIC MINISTRY OF AGRICULTURE AND FORESTRY
SGS İSTANBUL ANALYSIS LABORATORY)
MUAYENE VE ANALİZ RAPORU
(ANALYSIS REPORT)



Test
TS EN ISO/IEC 17025
AB-0726-T

AB-0726-T
41909454
15.04.2019

Rapor No (Report No) : 41909454

Tarih (Date) : 15.04.2019

Analiz Amacı (Reason of Analysis) : ÖZEL İSTEK (PRIVATE REQUEST)
Numuneyi Gönderen / Adres (Sample sent by / Address) : ANCIENT GREENS TARIMSAL ÜRETİM VE PAZARLAMA ANONİM ŞİRKETİ/HATAY
Numune Alma Tutanağının Tarihi / Sayısı (Date and Number of Sampling Protocol) : - / -
Numunenin (Sample's)
Cinsi (Type) : TOZ ÜRÜNLER (ÇİM 1.KALİTE/TURF 1.QUALITY) (POWDERED PRODUCTS)
Miktarı/Adedi (Amount/Pieces) : 110 g
Ambalajı (Package) : Kağıt Ambalaj (Paper Packaging)
Seri No / Parti No / Mühür No (Serial No / Lot No / Seal No) : - / - / -
Üretici-Firma Adı / Kodu (Producer-Firm Name / Code) : - / -
Marka (Brand) : -
Üretim ve Son Kullanma Tarihi (Production and Expire Date) : - / -
Alındığı Yer ve Tarih (Location and Date of Sampling) : - / -
Numuneyi Alan (Sample taken by) : -
Numune Kod Numarası (Sample Code Number) : -
Analiz Başlama ve Bitiş Tarihi (Date of Beginning and End of Analysis) : 12.04.2019 / 13.04.2019
Laboratuvara Geliş Şekli ve Tarihi (Delivery of sample / Date of receipt) : Elden (Hand Delivery) / 11.04.2019 16:29

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)
Pestisit Tayini (300 Etken Madde LC-MS/MS) (Pesticide Residues (LC-MS/MS)(300 Active Substance)) ^{1,2}			mg/kg		TS EN 15662
Acetamiprid	0.27 ± 0.14	0.01	mg/kg		LC-MS/MS
Bromoxynil	0.12 ± 0.06	0.01	mg/kg		LC-MS/MS
Clothianidin	0.015 ± 0.008	0.01	mg/kg		LC-MS/MS
Imidacloprid	0.24 ± 0.12	0.01	mg/kg		LC-MS/MS
Pyridaben	0.011 ± 0.006	0.01	mg/kg		LC-MS/MS
Thiamethoxam	0.017 ± 0.009	0.01	mg/kg		LC-MS/MS
Pestisit Tayini (300 Etken Madde GC-MS/MS) (Pesticide Residues (GC-MS/MS)(300 Active Substance)) ¹	Tespit Edilemedi (Not Detected)		mg/kg		TS EN 15662
Gluten Alerjen Miktar Tayini (Gluten Determination) ¹	Tespit Edilemedi (Not Detected)	5	mg/kg	99	R-Biopharm RIDASCREEN GLIADIN Ref. No: R7001v10-05-10
Pestisit Tayini (509 Aktif Madde LC-MS/MS) (Pesticide Residues (509 Active Substance LC-MS/MS)) ^{1,2}			mg/kg		TS EN 15662
Acetamiprid	0.27 ± 0.14	0.010	mg/kg		LC-MS/MS
Bromoxynil	0.12 ± 0.06	0.010	mg/kg		LC-MS/MS
Clothianidin	0.015 ± 0.008	0.010	mg/kg		LC-MS/MS
Imidacloprid	0.24 ± 0.12	0.010	mg/kg		LC-MS/MS
Pyridaben	0.011 ± 0.006	0.010	mg/kg		LC-MS/MS
Thiamethoxam	0.017 ± 0.009	0.010	mg/kg		LC-MS/MS
Pestisit Tayini (509 Aktif Madde GC-MS/MS) (Pesticide Residues (509 Active Substance GC-MS/MS)) ¹	Tespit Edilemedi (Not Detected)		mg/kg		TS EN 15662

LC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

İsim	Limit	İsim	Limit	İsim	Limit	İsim	Limit
Acephate	0.01	Acetamiprid	0.01	Acetochlor	0.01	Alachlor	0.01
Aldicarb	0.01	Aldicarb-Sulfone	0.01	Aldicarb-Sulfoxide	0.01	Amidosulfuron	0.01
Atrazine	0.01	Atrazine,Desethyl-	0.01	Atrazine,Desisopropyl-	0.01	Azinphos-ethyl	0.01

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-imzalı belge doğrulama linki: <https://trilms.sgs.com/Eimza/EimzaKontrol.aspx?ID=329d5215-2355-4bf4-a4d3-2b3389063ace40>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Rapor No (Report No) : 41909454

Tarih (Date) : 15.04.2019

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Azinphos-methyl	0.01	Azoxystrobin	0.01	Beflubutamid	0.01	Benalaxyl	0.01
Benfuracarb	0.01	Bitertanol	0.01	Boscalid	0.01	Bromoxynil	0.01
Bupirimate	0.01	Buprofezin	0.01	Butralin	0.01	Cadusafos	0.01
Carbaryl	0.01	Carbendazim/Benomyl	0.01	Carbofuran	0.01	Carbofuran-3-hydroxy	0.01
Carbosulfan	0.01	Carboxin	0.01	Carfentrazone-ethyl	0.01	Chlorfenvinphos	0.01
Chloridazon	0.01	Chlorpropham	0.01	Chlorsulfuron	0.01	Chlorthiamid	0.01
Clethodim	0.01	Clodinafop-propargyl	0.01	Clofentezine	0.01	Clothianidin	0.01
Cyanazine	0.01	Cycloate	0.01	Cymoxanil	0.01	Cyproconazole	0.01
Cyprodinil	0.01	Dazomet	0.01	Demeton-S-methyl	0.01	Demeton-S-methyl sulfone	0.01
Demeton-S-methyl-sulfoxide	0.01	Desmedipham	0.01	Diazinon	0.01	Dichlorvos	0.01
Diclobutrazol	0.01	Diethofencarb	0.01	Difenoconazole	0.01	Difflubenzuron	0.01
Diflufenican	0.01	Dimethachlor	0.01	Dimethenamid	0.01	Dimethoate	0.01
Dimethomorph	0.01	Diphenamid	0.01	Disulfoton-sulfone	0.01	Disulfoton-sulfoxide	0.01
Diuron	0.01	DNOC	0.01	Dodine	0.01	Epoxiconazole	0.01
Ethofumasate	0.01	Ethoprophos	0.01	Etofenprox	0.01	Etoazole	0.01
Famoxadone	0.01	Fenamidone	0.01	Fenamiphos	0.01	Fenarimol	0.01
Fenazaquin	0.01	Fenazox	0.01	Fenbuconazole	0.01	Fenhexamid	0.01
Fenoxaprop-P-ethyl	0.01	Fenoxycarb	0.01	Fenpropidin	0.01	Fenpyroximate	0.01
Fenthion	0.01	Fenthion-sulfoxide	0.01	Fipronil	0.01	Flampropisopropyl	0.01
Fluazifop-P-butyl	0.01	Fluazinam	0.01	Fludioxonil	0.01	Flufenoxuron	0.01
Fluquinconazole	0.01	Flusilazole	0.01	Flutolanil	0.01	Furathiocarb	0.01
Halfenprox	0.01	Haloxifop-2-ethoxyethyl	0.01	Haloxifop-methyl	0.01	Hexythiazox	0.01
Imazalil	0.01	Imidacloprid	0.01	Indoxacarb	0.01	Iodosulfuron-methyl	0.01
Iprovalicarb	0.01	Isoproturon	0.01	Isoxaflutole	0.01	Kresoxim-methyl	0.01
Linuron	0.01	Lufenuron	0.01	Malaoxon (Malathion-o-analog)	0.01	Malathion	0.01
Metamitron	0.01	Metazachlor	0.01	Metconazole	0.01	Methabenzthiazuron	0.01
Methamidophos	0.01	Methiocarb	0.01	Methiocarb-sulfone	0.01	Methiocarb-sulfoxide	0.01
Methomyl	0.01	Methoxyfenozide	0.01	Metolachlor	0.01	Metrafenone	0.01
Metribuzin	0.01	Metsulfuron-methyl	0.01	Mevinphos	0.01	Molinate	0.01
Monocrotophos	0.01	Myclobutanyl	0.01	Nicosulfuron	0.01	Novaluron	0.01
Omethoate	0.01	Oxadiazon	0.01	Oxamyl	0.01	Paclbutrazol	0.01
Paraoxon-ethyl	0.01	Paraoxon-methyl	0.01	Penconazole	0.01	Pencycuron	0.01
Pendimethalin	0.01	Phenmedipham	0.01	Phenthoate	0.01	Phorate-sulfone	0.01
Phosalone	0.01	Phosphamidon	0.01	Picolinafen	0.01	Pirimicarb	0.01
Pirimicarb-desmethyl	0.01	Pirimicarb-desmethyl-formamido	0.01	Pirimiphos methyl	0.01	Prochloraz	0.01
Profenofos	0.01	Prometryne	0.01	Propamocarb	0.01	Propargite	0.01
Propazine	0.01	Propiconazole	0.01	Propoxur	0.01	Propoxycarbazon	0.01
Propyzamide	0.01	Prosulfocarb	0.01	Prosulfuron	0.01	Prothiofos	0.01
Pymetrozine	0.01	Pyraclostrobin	0.01	Pyraflufen-ethyl	0.01	Pyrazophos	0.01
Pyridaben	0.01	Pyridate	0.01	Pyrimethanil	0.01	Pyrimidifen	0.01
Pyriproxyfen	0.01	Quinalphos	0.01	Quinoxyfen	0.01	Quizalofop-ethyl	0.01
Resmethrin	0.01	Rimsulfuron	0.01	Sebuthylazine	0.01	Sethoxydim	0.01
Simazine	0.01	Spinosad	0.01	Spirodiclofen	0.01	Spiroxamine	0.01
Tebuconazole	0.01	Tebufenozide	0.01	Tebufenpyrad	0.01	Teflubenzuron	0.01
Terbuthylazine	0.01	Terbutryn	0.01	Tetrachlorvinphos	0.01	Tetraconazole	0.01
Thiabendazole	0.01	Thiamethoxam	0.01	Thiobencarb (Benthiocarb)	0.01	Thiodicarb	0.01
Thiophanate-methyl	0.01	Triadimefon	0.01	Triadimenol	0.01	Triazophos	0.01
Tribenuron-methyl	0.01	Trichlorfon	0.01	Vamidathion	0.01		

GC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Aclonifen	0.01	Acrinathrin	0.01	Aldrin	0.01	Benfluralin	0.01
BHC-alpha isomer	0.01	BHC-beta isomer	0.01	BHC-delta isomer	0.01	Bifenthrin	0.01
Binapacryl	0.01	Bromophos-ethyl	0.01	Bromopropylate	0.01	Bromuconazole	0.01
Butylate	0.01	Captan	0.01	Chinomethionat (Quinomethionate)	0.01	Chlorbenside	0.01
Chlordane-cis	0.01	Chlordane-trans	0.01	Chlorfenapyr	0.01	Chlorbenzilate	0.01
Chloroneb	0.01	Chloropropylate	0.01	Chlorothalonil	0.01	Chlorpyrifos	0.01
Chlorpyrifos-methyl	0.01	Chlorthal-dimethyl	0.01	Cinidon-ethyl	0.01	Cyfluthrin	0.01
Cyhalofop-butyl	0.01	Cyhalothrin I (γ)	0.01	Cyhalothrin II (λ)	0.01	Cypermethrin	0.01
DDD-o,p'	0.01	DDD-p,p'	0.01	DDE-o,p'	0.01	DDE-p,p'	0.01
DDT-o,p'	0.01	DDT-p,p'	0.01	Deltamethrin	0.01	Di-allate	0.01
Dichlobenil	0.01	Diclofop-methyl	0.01	Dicofol-p,p'	0.01	Dieldrin	0.01
Dimethipin	0.01	Diniconazole	0.01	Diphenylamine	0.01	Disulfoton	0.01
Endosulfan (-alpha)	0.01	Endosulfan (-beta)	0.01	Endosulfan sulphate	0.01	Endrin	0.01
Esfenvalerate	0.01	Etaconazole I	0.01	Etaconazole II	0.01	Ethalfuralin	0.01
Etridiazole	0.01	Fenpropathrin	0.01	Fenvelarate	0.01	Flucythrinate	0.01
Flumioxazine	0.01	Flurochloridone	0.01	Fluvalinate-tau-I	0.01	Fluvalinate-tau-II	0.01
Folpet	0.01	Formothion	0.01	Heptachlor	0.01	Heptachlor endo-epoxide	0.01

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-İmzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=329d5215-2355-4bf4-a4d3-2b3389063ace40>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Rapor No (Report No) : 41909454

Tarih (Date) : 15.04.2019

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Heptachlor exo-epoxide	0.01	Hexachlorobenzene	0.01	Hexaconazole	0.01	Iprodione	0.01
Lindane	0.01	Metalaxyl-M	0.01	Methacrifos	0.01	Methoxychlor	0.01
Monolinuron	0.01	Nitrofen	0.01	Nitrothal-isopropyl	0.01	Oxyfluorfen	0.01
Parathion-ethyl	0.01	Parathion-methyl	0.01	Pentachloroaniline	0.01	Permethrin- cis	0.01
Permethrin-trans	0.01	Phorate	0.01	Phosmet	0.01	Procymidone	0.01
Propanil	0.01	Quintozene	0.01	Spiromesifen	0.01	Tecnazene	0.01
Tefluthrin-cis-	0.01	Tetradifon	0.01	Thiometon	0.01	Tolclofos-methyl	0.01
Tolyfluaniid	0.01	Tri-allate	0.01	Trifluralin	0.01	Vinclozolin	0.01

LC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Acephate	0.010	Acetamidrid	0.010	Acetochlor	0.010	Aclonifen	0.010
Aalachlor	0.010	Aldicarb	0.010	Aldicarb sulfone	0.010	Aldicarb sulfoxide	0.010
Ametryn	0.010	Amidosulfuron	0.010	Aminocarb	0.010	Amitraz	0.010
Anilofos	0.010	Atrazine	0.010	Atrazine,Desethyl-	0.010	Atrazine,Desisopropyl-	0.010
Azaconazole	0.010	Azinphos-ethyl	0.010	Azinphos-methyl	0.010	Aziprotryne	0.010
Azobenzene	0.010	Azoxystrobin	0.010	Beflubutamid	0.010	Benalaxyl (Benalaxyl-M dahil diğer bileşik izomer karışımları ile birlikte (izomerler toplamı))	0.010
Bendiocarb	0.010	Benfuracarb	0.010	Bensulfuron-methyl	0.010	Benthiavdicarb-isopropyl	0.010
Bifenazate	0.010	Bitertanol	0.010	Boscalid	0.010	Bromacil	0.010
Bromoxynil	0.010	Bupirimate	0.010	Buprofezin	0.010	Butocarboxim	0.010
Butocarboxim sulfoxide	0.010	Butralin	0.010	Buturon	0.010	Cadusafos	0.010
Carbaryl	0.010	Carbendazim ve benomyl (benomyl ve carbendazim toplamı; carbendazim cinsinden) (R)	0.010	Carbetamide	0.010	Carbofuran	0.010
Carbofuran-3-hydroxy	0.010	Carbosulfan	0.010	Carboxin	0.010	Carfentrazone-ethyl	0.010
Chlorbromuron	0.010	Chlorfenvinphos	0.010	Chlorfluazuron	0.010	Chloridazon	0.010
Chloroxuron	0.010	Chlorpropham	0.010	Chlorsulfuron	0.010	Chlorthiamid	0.010
Chlorthiophos	0.010	Chlortoluron	0.010	Clethodim	0.010	Climbazole	0.010
Clodinafop-propargyl	0.010	Clofentezine	0.010	Clomazone	0.010	Clopyralid	0.010
Clothianidin	0.010	Cyanazine	0.010	Cyazofamid	0.010	Cycloate	0.010
Cycloxydim	0.010	Cyflufenamid	0.010	Cyhexatin	0.010	Cymoxanil	0.010
Cyproconazole	0.010	Cyprodinil	0.010	D 2,4-	0.010	Dazomet	0.010
Demeton-S-methyl	0.010	Demeton-S-methyl sulfone	0.010	Demeton-S-methyl sulfoxide	0.010	Desmedipham	0.010
Desmetryn	0.010	Diafenthiuron	0.010	Dialifos	0.010	Diazinon	0.010
Dichlofluaniid	0.010	Dichlorvos	0.010	Diclobutazol	0.010	Diclotophos	0.010
Diethofencarb	0.010	Difenoconazole	0.010	Diflubenzuron	0.010	Diflufenican	0.010
Dimefox	0.010	Dimethachlor	0.010	Dimethanamid	0.010	Dimethoate	0.010
Dimethomorph	0.010	Dimethyl aniline 2 4	0.010	Dimethylphenyl formamide N-2.4-	0.010	Dimethylphenyl N methylformamidine N-2.4-	0.010
Dimoxystrobin	0.010	Dinocap	0.010	Dioxacarb	0.010	Diphenamid	0.010
Dipropetryn	0.010	Disulfoton-sulfone	0.010	Disulfoton-sulfoxide	0.010	Ditalimfos	0.010
Dithianon	0.010	Diuron	0.010	DNOC	0.010	Dodine	0.010
Emamectin benzoate	0.010	EPN	0.010	Epoxiconazole	0.010	Ethiofencarb	0.010
Ethiofencarb sulfon	0.010	Ethiofencarb sulfoxide	0.010	Ethion	0.010	Ethirimol	0.010
Ethofumasate	0.010	Ethoprophos	0.010	Etofenprox	0.010	Etoazole	0.010
Etrimefos	0.010	Famoxadone	0.010	Famphur	0.010	Fenamidone	0.010
Fenamiphos	0.010	Fenarimol	0.010	Fenazaquin	0.010	Fenazox	0.010
Fenbuconazole	0.010	Fenbutatin oxide	0.010	Fenhexamid	0.010	Fenobucarb	0.010
Fenoxaprop-P-ethyl	0.010	Fenoxycarb	0.010	Fenpiclonil	0.010	Fenpropathrin	0.010
Fenpropidin	0.010	Fenpropimorph	0.010	Fenpyroximate	0.010	Fensulfothion	0.010
Fenthion	0.010	Fenthion-sulfoxide	0.010	Fention-sulfone	0.010	Fenuron	0.010
Fipronil	0.010	Fipronil sulfid	0.010	Fipronil sulfone	0.010	Flampropisopropyl	0.010
Flamprop-m-methyl	0.010	Fluazifop	0.010	Fluazifop-p-butyl	0.010	Fluazinam	0.010
Fluazuron	0.010	Flubendiamide	0.010	Flubenzimine	0.010	Fludioxonil	0.010
Flufenacet	0.010	Flufenoxuron	0.010	Fluometuron	0.010	Fluoxastrobin	0.010
Fluquinconazole	0.010	Fluridone	0.010	Fluroxypyr	0.010	Flurtamone	0.010
Flusilazole	0.010	Flutolanil	0.010	Flutriafol	0.010	Fonofos	0.010
Foramsulfuron	0.010	Forchlorfenuron	0.010	Formetanate	0.010	Fosthiazate	0.010
Fuberidazole	0.010	Furathiocarb	0.010	Halifenprox	0.010	Haloxypop	0.010
Haloxypop-2-ethoxyethyl	0.010	Haloxypop-methyl	0.010	Haloxypop-p-methyl	0.010	Heptenephos	0.010
Hexaflumuron	0.010	Hexazinone	0.010	Hexythiazox	0.010	Imazalil	0.010
Imazamox	0.010	Imazaquin	0.010	Imazethapyr	0.010	Imazosulfuron	0.010
Imibenconazole	0.010	Imidacloprid	0.010	Indoxacarb	0.010	Iodosulfuron-methyl	0.010
Ioxynil	0.010	Iprovalicarb	0.010	Isazofos	0.010	Isocarbamide	0.010
Isocarbofos	0.010	Isoprocarb	0.010	Isoprothiolone	0.010	Isoproturon	0.010
Isoxaben	0.010	Isoxaflutole	0.010	Kresoxim-methyl	0.010	Lenacil	0.010
Linuron	0.010	Lufenuron	0.010	Malaoxon (Malathion-o-analog)	0.010	Malathion	0.010
Mandipropamid	0.010	MCPA	0.010	Mecarbam	0.010	Mepanipyrim	0.010

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-İmzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=329d5215-2355-4bf4-a4d3-2b3389063ace40>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Rapor No (Report No) : 41909454

Tarih (Date) : 15.04.2019

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Mephosfolan	0.010	Mepronil	0.010	Mesosulfuron-methyl	0.010	Mesotrione	0.010
Metalaxyl	0.010	Metamitron	0.010	Metazachlor	0.010	Metconazole	0.010
Methabenzthiazuron	0.010	Methamidophos	0.010	Methidathion	0.010	Methiocarb	0.010
Methiocarb-sulfone	0.010	Methiocarb-sulfoxide	0.010	Methomyl	0.010	Methoxyfenozide	0.010
Metobromuron	0.010	Metolachlor	0.010	Metolcarb	0.010	Metosulam	0.010
Metoxuron	0.010	Metrafenone	0.010	Metribuzin	0.010	Metsulfuron-methyl	0.010
Mevinphos	0.010	Molinate	0.010	Monocrotophos	0.010	Monuron	0.010
Myclobutanyl	0.010	Napropamide	0.010	Neburon	0.010	Nicosulfuron	0.010
Nitenpyram	0.010	Norflurazone	0.010	Novaluron	0.010	Nuarimol	0.010
Ofurace	0.010	Omethoate	0.010	Oxadiazon	0.010	Oxadixyl	0.010
Oxamyl	0.010	Paclobutrazol	0.010	Paraoxon-ethyl	0.010	Paraoxon-methyl	0.010
Pebulate	0.010	Penconazole	0.010	Pencycuron	0.010	Pendimethalin	0.010
Phenmedipham	0.010	Phentoate	0.010	Phorate-sulfone	0.010	Phosalone	0.010
Phosfolan	0.010	Phosmet	0.010	Phosphamidon	0.010	Picolinafen	0.010
Picoxystrobin	0.010	Piperophos	0.010	Pirimicarb	0.010	Pirimicarb-desmethyl	0.010
Pirimicarb-desmethyl-formamido	0.010	Pirimiphos methyl	0.010	Pirimiphos-ethyl	0.010	Prochloraz	0.010
Profenofos	0.010	Profoxydim	0.010	Promecarb	0.010	Prometon	0.010
Prometryne	0.010	Propachlor	0.010	Propamocarb	0.010	Propaquizafop	0.010
Propargite	0.010	Propazine	0.010	Propetamfos	0.010	Propham	0.010
Propiconazole	0.010	Propoxur	0.010	Propoxycarbazone	0.010	Propyzamide	0.010
Proquinazid	0.010	Prosulfocarb	0.010	Prosulfuron	0.010	Prothioconazole	0.010
Prothiofos	0.010	Pymetrozine	0.010	Pyraclostrobin	0.010	Pyraflufen-ethyl	0.010
Pyrazophos	0.010	Pyridaben	0.010	Pyridaphenthion	0.010	Pyridate	0.010
Pyrifenox	0.010	Pyrimethanil	0.010	Pyrimidifen	0.010	Pyriproxyfen	0.010
Quinalphos	0.010	Quinoclamine	0.010	Quinoxifen	0.010	Quizalofop-ethyl	0.010
Resmethrin	0.010	Rimsulfuron	0.010	Rotenone	0.010	Sebuthylazine	0.010
Sethoxydim	0.010	Simazine	0.010	Simetryn	0.010	Spinosad	0.010
Spirodiclofen	0.010	Spiroxamine	0.010	Sulfentrazone	0.010	Sulfotep	0.010
Sulprofos	0.010	Tebuconazole	0.010	Tebufenozide	0.010	Tebufenpyrad	0.010
Tebupirimfos	0.010	Tebuthiuron	0.010	Teflubenzuron	0.010	TEPP-O ₂ O	0.010
Tepraloxydim	0.010	Terbacil	0.010	Terbufos	0.010	Terbumeton	0.010
Terbutylazine	0.010	Terbutryn	0.010	Tetrachlorvinphos	0.010	Tetraconazole	0.010
Tetrametrin	0.010	Thiabendazole	0.010	Thiacloprid	0.010	Thiamethoxam	0.010
Thiobencarb (Benthiocarb)	0.010	Thiodicarb	0.010	Thiofanox	0.010	Thiofanox Sulfoxide	0.010
Thionazin	0.010	Thiophanate-methyl	0.010	Tolyfluanid	0.010	Tralkoxydim	0.010
Triadimefon	0.010	Triadimenol	0.010	Tri-allate	0.010	Triazophos	0.010
Tribenuron-methyl	0.010	Trichlorfon	0.010	Tricyclazole	0.010	Tridemorph	0.010
Trifloxystrobin	0.010	Triflumizole	0.010	Triflumuron	0.010	Triforine	0.010
Triticonazole	0.010	Vamidathion	0.010	Zoxamide	0.010		

GC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Acibenzolar-s-methyl	0.010	Aclonifen	0.010	Acrinathrin	0.010	Aldrin	0.010
Allethrin	0.010	Benfluralin	0.010	Bifenthrin	0.010	Binapacryl	0.010
Bromfenvinphos	0.010	Bromophos-ethyl	0.010	Bromophos-methyl	0.010	Bromopropylate	0.010
Bromuconazole I	0.010	Bromuconazole II	0.010	Butylate	0.010	Captan	0.010
Carbophenothion	0.010	Chinomethionate (Quinomethionate)	0.010	Chlorbenside	0.010	Chlorbufam	0.010
Chlordane-cis	0.010	Chlordane-trans	0.010	Chlorfenapyr	0.010	Chlorfenson	0.010
Chlorobenzilate	0.010	Chloroneb	0.010	Chloropropylate	0.010	Chlorothalonil	0.010
Chlorpyrifos	0.010	Chlorpyrifos-methyl	0.010	Chlorthal-dimethyl	0.010	Cinidon-ethyl	0.010
Cyanofenphos	0.010	Cyanophos	0.010	Cyfluthrin	0.010	Cyfluthrin-beta	0.010
Cyhalofop-butyl	0.010	Cyhalothrin I (gamma)	0.010	Cyhalothrin II (lambda)	0.010	Cypermethrin	0.010
Cypermethrin alpha	0.010	DDD-o,p'	0.010	DDD-p,p'	0.010	DDE-o,p'	0.010
DDE-p,p'	0.010	DDT-o,p'	0.010	DDT-p,p'	0.010	Deltamethrin I	0.010
Deltamethrin II	0.010	Di-allate I	0.010	Di-allate II	0.010	Dichlobenil	0.010
Dichloraniline-3 5	0.010	Diclofop-methyl	0.010	Dicloran	0.010	Dicofol-p,p'	0.010
Dieldrin	0.010	Dimethipin	0.010	Diniconazole	0.010	Diphenylamine	0.010
Disulfoton	0.010	Endosulfan (-alpha)	0.010	Endosulfan (-beta)	0.010	Endosulfan sulphate	0.010
Endrin	0.010	EPTC	0.010	Esfenvalerate	0.010	Etaconazole I	0.010
Etaconazole II	0.010	Ethalfuralin	0.010	Etridiazole	0.010	Fenchlorphos	0.010
Fenitrothion	0.010	Fenprothrin	0.010	Fenuron	0.010	Fenvalerate	0.010
Flucythrinate	0.010	Flumioxazine	0.010	Flurochloridone	0.010	Folpet	0.010
Formothion	0.010	Furalaxyl	0.010	HCH-alpha isomer	0.010	HCH-beta isomer	0.010
HCH-delta isomer	0.010	Heptachlor	0.010	Heptachlor endo-epoxide (trans isomer)	0.010	Heptachlor exo-epoxide (cis isomer)	0.010
Heptenophos	0.010	Hexabromobenzene	0.010	Hexachlorobenzene	0.010	Hexaconazole	0.010
Iprobenfos	0.010	Iprodione	0.010	Isodrin	0.010	Isofenphos	0.010
Leptophos	0.010	Lindane	0.010	Mefenpyr-diethyl	0.010	Metalaxyl-M	0.010
Methacrifos	0.010	Methoxychlor	0.010	Mirex	0.010	Monolinuron	0.010

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-İmzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=329d5215-2355-4bf4-a4d3-2b3389063ace40>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Rapor No (Report No) : 41909454

Tarih (Date) : 15.04.2019

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Nitrofen	0.010	Nitrothal-isopropyl	0.010	Oxyfluorfen	0.010	Parathion-ethyl	0.010
Parathion-methyl	0.010	Pentachloroaniline	0.010	Pentachloroanisole	0.010	Pentachlorobenzene	0.010
Pentachlorophenol	0.010	Permethrin_cis	0.010	Permethrin_trans	0.010	Pethoxamid	0.010
Phorate	0.010	Phosmet	0.010	Procymidone	0.010	Propanil	0.010
Quintozene	0.010	Spiromesifen	0.010	Tau-Fluvalinate (I)	0.010	Tau-Fluvalinate (II)	0.010
Tecnazene	0.010	Tefluthrin,cis-	0.010	Terbufos	0.010	Tetradifon	0.010
Tetrahydrophthalamide	0.010	Thiometon	0.010	Tolclofos-methyl	0.010	Tolyfluanid	0.010
Tri-allate	0.010	Trifluralin	0.010	Vinclozolin	0.010		

Yapılan muayene ve analiz sonucunda yukarıda belirtilen değerler tespit edilmiştir. (Above-mentioned values have been determined from examinations and analysis.)

Deney laboratuvarı olarak faaliyet gösteren SGS İstanbul Gıda Kontrol Laboratuvarı, TÜRKAK'tan AB-0726-T ile TS EN ISO/IEC 17025:2012 standardına göre akredite edilmiştir. Geçici, gezici tesis veya müşteri tesislerinde faaliyet alanı bulunmamaktadır. (SGS Istanbul Food Control Laboratory is accredited by TÜRKAK under registration number AB-0726-T for TS EN ISO/IEC 17025:2012 as testing laboratory. No activity is performed at sites away from permanent facility, in associated temporary or mobile facilities or at a customer's facility.)

Notlar (Notes)

- Bu analiz raporu adli-idari işlemlerde ve reklam amacıyla kullanılamaz. İzinim alınmadan raporlarımız çoğaltılamaz ve yayınlanamaz. İmzasız ve mühürsüz raporlar geçersizdir. (This report shall not be used in the executive-judicial processes and for advertising purposes. No copy or no publish without permission. The reports without signature and seal are invalid.)

- Bu analiz raporunun hiç bir bölümü tek başına veya ayrı ayrı kullanılamaz. (This report with all parts is a whole, no part of this report can be used separately.)

- Analiz sonuçları yukarıda belirtilen numune için geçerlidir. Numune alım işlemi laboratuvarımız tarafından gerçekleştirilmediğinden, gönderilen numunenin partiyi/bütünü temsil etmesi sorumluluğu laboratuvarımıza ait değildir. (Results of analysis solely belong to sample mentioned above. Sampling is not performed by laboratory, representation responsibility of the sample is not undertaken.)

- Analiz raporunda yer alan numuneye ait bilgiler müşteri tarafından beyan edilmiştir. Bu bilgilerin doğruluğundan ve kullanımına bağlı oluşabilecek tüm kayıplardan/yasal zorunluluklardan laboratuvarımız sorumlu değildir. (All necessary sample information is transmitted by the client. Responsibility of losses/legal obligations that may arise due to the accuracy and use of this information is not undertaken.)

- LOQ: Minimum Ölçüm Limiti (LOQ: Limit Of Quantitation)

Açıklamalar (Description)

¹:Bu analiz akreditasyon kapsamındadır. (This analyze covered by accreditation.)

²:SANTE/11813/2017'ye göre % 95 güven aralığında genişletilmiş belirsizlik(k=2) kullanılarak % 50 olarak hesaplanmıştır. Numune almadan kaynaklı ölçüm belirsizliği hesaba katılmamıştır. (Measurement Uncertainty for Pesticide Residue: 50% corresponding to a 95% confidence level and a coverage factor of 2 according to SANTE/11813/2017. Uncertainty sources arising from sampling is not taken into account and evaluated.)

Numune Kabul ve Raporlama Birim Sorumlusu
(Sample Admission and Reporting Department Team Leader)

Kimyager

(Chemist)

ERHAN ÇANKAYA

Kimya Laboratuvarı Birim Sorumlusu
(Chemistry Lab Team Leader)

Kimyager

(Chemist)

MUHAMMET BURAK

Moleküler Biyoloji Laboratuvarı Birim Sorumlusu
(Molecular Biology Lab Team Leader)

Biyolog

(Biologist)

SUZAN ONAL DİNÇ

15.04.2019

Tasdik Olunur (Approved by)

Laboratuvar Müdürü (Lab Manager)

Veteriner Hekim (Doctor of Veterinary Medicine)

SİNEM TOPÇU

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-imzalı belge doğrulama linki: <https://trilms.sgs.com/Eimza/EimzaKontrol.aspx?ID=329d5215-2355-4bf4-a4d3-2b3389063ace40>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.